

USDC SDNY
DOCUMENT
ELECTRONICALLY FILED
DOC #: _____
DATE FILED: 6/1/2022

UNITED STATES DISTRICT COURT
SOUTHERN DISTRICT OF NEW YORK

----- X
UNITED STATES OF AMERICA :
: 19-CR-808 (VEC)
-against- :
: ORDER
SYLVAIN GNAHORE and FALIKOU KONE, :
:
Defendants. :
----- X

VALERIE CAPRONI, United States District Judge:

IT IS HEREBY ORDERED that trial will begin on **June 29, 2022 at 9:30 a.m.** in Courtroom 443 of the Thurgood Marshall Courthouse, 40 Foley Square, New York, New York, 10007.

IT IS FURTHERED ORDERED that a final pre-trial conference will be held on **Friday, June 17, 2022 at 1:00 p.m.**

The parties are reminded that, per the SDNY COVID-19 Courthouse Entry Program, any person who appears at any SDNY courthouse must complete a questionnaire and have his or her temperature taken. Please see the enclosed instructions. Completing the questionnaire ahead of time will save time and effort upon entry. Only those individuals who meet the entry requirements established by the questionnaire will be permitted entry. Please contact chambers promptly if you or your client do not meet the requirements. For up-to-date information about the SDNY's COVID-19 entry protocols, please visit <https://www.nysd.uscourts.gov/covid-19-coronavirus>.

SO ORDERED.

Date: June 1, 2022
New York, NY



VALERIE CAPRONI
United States District Judge

Instructions for Courthouse Entry

All members of the public, including attorneys, appearing at a Southern District of New York courthouse must complete a questionnaire and have their temperature taken before being allowed entry into that courthouse.

On the day you are due to arrive at the courthouse, click on the following weblink to begin the enrollment process. Follow the instructions and fill out the questionnaire. If your answers meet the requirements for entry, you will be sent a QR code to be used at the SDNY entry device at the courthouse entrance.

Weblink: <https://app.certify.me/SDNYPublic>

Note: If you do not have a mobile phone or mobile phone number, you must complete the questionnaire and temperature screening at an entry device at the courthouse.